


3. CVS Access (docs):

1. First install TortoiseCVS (or another CVS client) <http://www.tortoisecvs.org/>
2. Open the file explorer
3. Select or create a destination directory (e.g. Berkeley_venture)
4. click on directory (right mouse button)
5. choose “check out modul”



6. Use above settings (protocol, server, and repository directory)
7. Select your Account from the following list:

Accounts:

mayrhoferp
shawr
frankf
quh
aherns
kirchmairb

perkeld
rileyp
billingsa
deckerj
schabera
pietraa

appelts
schuberte
sassene
nonnenmanni
wernickes
suny
schmidlj
martens
konradn
danzingerf
huber
moeller
zuendt
dornbusc
landgrebej

Password: cdtm2cdtm


8. Use Modul name „docs“
9. Press OK
10. The Download (Check out) starts.

After editing a file it will be colored red in the explorer (instead of green). To update the file in the CVS, click again on the file (right mouse button) and select “check in”. The file will be updated.


If a file isn't yet part of the cvs file space you have to add it to the cvs. If the file is part of the local cvs directory there will be a question mark on the file icon. Click on the filename and choose “add content”. Afterwards you have to check-in the file to make it part of the cvs!

4. CVS Access and Eclipse (JustClick-Team only!):

1. Start Eclipse
2. Select „add CVS Repository“:




3. Use your account name and password (instead of dornbusc)
4. Select the settings as above
5. For some eclipse versions it may be necessary to select “justclick” as module on the next dialog tab.
6. After adding the repo. you can select the project from the head branch:



7. Right mouse Button -> Check out

- The project will be created locally.




DB Connection:

You don't have to install the DB on your computer. You can use the DB on 129.187.150.115 as follows:

- open Putty
- Configure a SSH-Port-Tunnel



- Configure the Session
- Save the Configuration (for the next time)




5. Click „Open“
6. Enter UserID and Password
7. The Tunnel is now active!

Tomcat Configuration

You may want to download, install and start Tomcat before you configure it

<http://mirrorspace.org/apache/jakarta/tomcat-5/v5.0.28/bin/jakarta-tomcat-5.0.28.exe>



1. go to <http://127.0.0.1:8080/admin/>
2. enter username and password you entered during installation (default admin and empty password)
3. Click on users on the left
4. select create user from user actions
- 5.


Create User justclick (or change the build.properties file)

UserID: justclick

Passwd: JusTclIck

Role: Manager

Installation of JustClick:



1. Change to Eclipse
2. Select Window->Show View->Ant
3. Add build.xml as buildfile in Ant

1. Select the build.xml file
2. Run Ant
3. Justclick will be compiled and deployed (on Tomcat)
4. Open the following link: <http://127.0.0.1:8080/justclick/app/>
5. If everything is working you will see this page:

The screenshot shows the 'gogolmedien' application interface. At the top left, there is a 'Login' form with fields for 'Benutzer' and 'Passwort', and a 'Login' button. Below the form is a 'Hilfe' (Help) section with a question mark icon and a message: 'Gerne sind wir bei Fragen oder Unklarheiten zur Bedienung behilflich. Hierzu genügt eine kurze Mail an unser Support-Team und wir helfen sofort!'. The main content area displays a list of users, each with a name and a detailed JSON object containing user information.

129.187.150.81

1. Frau Eva Christoph ⓘ
 {SYSContactUser: Id = 2 SysContactId = 3000001 Salutation = Frau Firstname = Eva Lastname = Christoph Telephone = +49 8251 889 Fax = +49 8251 8196530 Email = c.m@cristoph-consult.de Internet = null Login = c.m@cristoph-consult.de Password = 3000001 Create 1970-01-01 00:00:00.0 Modified = 1970-01-01 00:00:00.0 LastLogin = 2004-03-18 13:48:29.191 LoginNumber = 0 ConfirmValue = null Objectdata = [B@96d92e] }

2. Herr Gandalf Grauer ⓘ
 {SYSContactUser: Id = 22 SysContactId = 3000009 Salutation = Herr Firstname = Gandalf Lastname = Grauer Telephone = null Fax = null Email = null Internet = null Login = gandalf Password = freund Created = 2004-04-07 00:00:00.0 Modified = 2004-04-07 00:00:00.0 LastLogin = 2004-04-07 00:00:00.0 LoginNumber = 0 ConfirmValue = null Objectdata = [B@18c5b4f] }

3. Herr Gimli Grummlig ⓘ
 {SYSContactUser: Id = 25 SysContactId = 3000009 Salutation = Herr Firstname = Gimli Lastname = Grummlig Telephone = null Fax = null Email = null Internet = null Login = gimli Password = zwergenaxt Created = 2004-04-07 00:00:00.0 Modified = 2004-04-07 00:00:00.0 LastLogin = 2004-04-07 00:00:00.0 LoginNumber = 0 ConfirmValue = null Objectdata = [B@1beb7ec] }


4. Herr Aragorn König ⓘ
 {SYSContactUser: Id = 20 SysContactId = 3000009 Salutation = Herr Firstname = Aragorn Lastname = König Telephone = null Fax = null Email = aragorn@gogol-medien.de Internet = null Login = aragorn Password = waldläufer Created = 2004-04-07 00:00:00.0 Modified = 2004-04-07 00:00:00.0 LastLogin = 2004-04-07 00:00:00.0 LoginNumber = 0 ConfirmValue = null Objectdata = [B@1cfb56] }

5. Frau Eowyn Rohantochter ⓘ
 {SYSContactUser: Id = 23 SysContactId = 3000009 Salutation = Frau Firstname = Eowyn Lastname = Rohantochter Telephone = null Fax = null Email = null Internet = null Login = eowyn Password = faromir Created = 2004-04-07 00:00:00.0 Modified = 2004-04-07 00:00:00.0 LastLogin = 2004-04-07 00:00:00.0 LoginNumber = 0 ConfirmValue = null Objectdata = [B@b8f952] }


You can login with:
 username: bilbo.beutlin
 login: bilbo

5. CVS Access and Eclipse (Web-Team only!):

1. Start Eclipse
2. Select „add CVS Repository“:




- Use your account name and password (instead of dornbusc)
- Select the settings as above
- For some eclipse versions it may be necessary to select “xml” (not justclick) as module on the next dialog tab.
- After adding the repo. you can select the project from the head branch:



- Right mouse Button -> Check out


- The project will be created locally.



Tomcat Configuration

Download and install Tomcat

<http://mirrorspace.org/apache/jakarta/tomcat-5/v5.0.28/bin/jakarta-tomcat-5.0.28.exe>



6. go to <http://127.0.0.1:8080/admin/>
7. enter username and password you entered during installation (default admin and empty password)
8. Click on users on the left
9. select create user from user actions

6. Installation:

Please install the following applications:

All:

- CVS Client (e.g. TortoiseCVS)

- MSN (+ Create Account !)

BA/EE Students:

- Adobe InDesign
- MS Office

CS Students:

- Eclipse 3.0
- Tomcat 5.0
- Putty

Web XML Team:

- Recommendation: Use a Visual Editor for Creating the XSLT
 - http://www.stylusstudio.com/xml_download.html (30-Days-Trial-Version)
- Framework to generate HTML from XML based on XLST
 - Recommendation: Cocoon